

Optimized printing to transform your business.



Businesses increasingly require high productivity and lower operating costs from their printers.

Fast, professional-quality printers with lower operating costs.

Most businesses are increasingly demanding high productivity and lower operating costs from their printers. Ease of use and printing versatility for a wide range of documents and presentations are also needed.

The ProXpress M4070 | 3870 | 3370 series multifunction printers are ideal for every business environment, with a full range of features designed to increase productivity and efficiency:

High-Speed Performance With Professional Results

ProXpress M4070 | 3870 | 3370 series MFPs have high print speeds of up to 42 ppm¹ (pages per minute) with 256 MB memory for letter size documents. Samsung's Rendering Engine for Clean Page (ReCP) technology produces sharp text and clear images on a range of media sizes and weights.

&RW/UTFLHQF

Eco features such as the One Touch Eco Button and Easy Eco Driver plus job accounting help reduce paper, toner, and energy consumption. A wide range of toner cartridges² supporting different printing volumes aids in lowering the total cost of ownership (TCO).

Versatility

4-in-1 multifunctional features and built-in duplex, and convenient mobile printing capabilities come standard. The printers feature enterprise-level security, which offers greater control of user, document, and network access. The M3870FW also features wireless connectivity and Wi-Fi Direct for ultimate ease of sharing.

Ease of Use

Easy Printer Manager ensures smooth printer operation, Easy Document Creator helps users create, compile and share documents, and the built-in numeric keypad enables easy and secure printing.

Samsung high-performing MFPs deliver improved print quality and speed.

Print with exceptional speed and superior quality.

The Samsung ProXpress M4070 | 3870 | 3870 series help businesses print complex documents on heavier media types without sacrificing processing and printing speed and professional-quality results.

High-Speed Printing and Image Processing

The robust ProXpress M4070 | 3870 | 3370 series MFPs feature print speeds of up to 42 ppm¹, powered by a Cortex™-A5 core processor and up to 256 MB of memory. High speed and performance enable businesses to accelerate document and image processing for increased efficiency.



Higher-Quality Print Output

ReCP technology improves the readability of printed documents by enhancing thin lines and sharpening the edges of negative text. Small text that typically may not scan completely is sharpened through edge resolution enhancement. The ProXpress M4070 | 3870 | 3370 series MFPs deliver sharp, solid prints and scans with effective output print resolutions of up to 1200 x 1200 dpi.



Additional Printing Choices for Professional Documents

The printers' multipurpose tray supports media of up to 58 lb. stock in weight, which offers more printing choices for professional documents. Numerous labels, cards and envelopes can be printed with ease using the multipurpose tray.3

Control costs by reducing toner and paper expenses.

Reduce operating expenses with economical features and solutions.



One Touch Eco Button

Businesses can lower toner and paper usage with the one-touch Eco Button. Eco Mode automatically adjusts the print job and enables 2-up printing (two pages on the same side) and duplex printing (printing on both sides). Skipping blank pages and toner save mode are also enabled. These settings are easily adjusted from within the driver, and an administrator can modify and even choose to enforce Eco Mode for all users, saving their organization on costs.



Central Print Usage Control to Save More Resources

Central print usage control, activated through the SyncThru™ Admin job accounting feature, enables managers to assign users to specific printers. Users can also be assigned quotas for the number of pages or copies they can make per printer.



Easy Eco Driver

The Easy Eco Driver, granted the 2012 Outstanding Achievement in Innovation award from Buyers Laboratory (BLI), can reduce toner use by up to 20%. Users have the option of removing images, converting them from bitmap to sketch, and removing bold text in order to save on toner costs.





More Toner Options, More Choices for Cost Reduction

ProXpress M4070 | 3870 | 3370 series offers diverse laser toner cartridge options² from standard-yield laser toner cartridges that typically yield 3,000 standard pages to ultra-high yield laser toner cartridges that can yield 15,000 standard pages, which lowers the cost per page and reduces your expenses.

An integrated toner system contains the imaging unit and toner cartridge in one convenient package. This integrated toner system is the preferred choice for businesses with heavier printing volumes.

7DN+DGYDQMUHRI fIIH LEOISUQMQJ IRSMRQVIMDVIKHS optimize output.

Improve productivity with versatile features from multifunction to security.



4-in1 Multifunction and Built-in Duplex Printing

4-in-1 multifunctional (print, copy, scan, fax) capabilities and built-in duplex printing provide the versatility and convenience that businesses need to stay competitive. Furthermore, the M4070FR and M3870FW have a DADF (duplex automatic document feeder) standard, allowing users to copy, scan and fax two-sided documents, which further improves office efficiency.



Convenient Mobile Printing Optimized for Various Business Environments

The free Samsung Mobile Print app allows users to print, scan and fax directly from their mobile devices. By simply downloading the Mobile Print app from the Google® Play store for Android™ or the App Store for iOS®, users can access their devices without the need for additional drivers or complicated setup.

The app will detect any compatible Samsung printer or MFP located on the same Wi-Fi network, giving users access to the full range of the machine's functions. The ProXpress M4070 | 3870 | 3370 series can handle almost any type of file, including Microsoft Office documents, images and web pages.


Google

Google® Cloud Print Ready

With the ProXpress M4070 | 3870 | 3370 series and Google Cloud Print, you can print from virtually anywhere, right out of the box. Google Cloud Print connects your printers to the Web, allowing you to print from mobile devices including smartphones, tablets, laptops and Chromebooks, from anywhere you have an Internet connection. You can even share your work or home printer with anyone you choose for added convenience.

Enterprise-Level Document Security

Businesses produce numerous official documents containing confidential information, which requires highly secure printing. ProXpress M4070 | 3870 | 3370 series MFPs offer greater control of users, document and network access with Samsung SyncThru™ Admin at the enterprise security level.



Simplify print jobs with easy security management.

Streamline printing with easy-to-use design.

Easy Printer Manager

The Easy Printer Manager helps companies remotely control settings, such as the One Touch Eco Button, and copy, scan and fax settings. Multiple devices can be monitored and managed using the Easy Printer Manager. Businesses can also monitor printer status such as error messages, including paper empty, toner empty and paper jam alerts.



Easy Document Creator

With the Easy Document Creator, employees can create digital documents in multiple formats and share them through email or social networks. A document converter for smartphones, e-book readers, and social media provide users convenience with less effort.



Easy Secure Printing

The ProXpress M4070 | 3870 | 3370 series MFPs feature easy secure printing capability right out of the box. A user can elect to send a confidential or personal print job right from the driver, which can only be accessed by entering the PIN on the built-in keypad. Not only does this protect sensitive information, but it reduces the number of wasted prints if a user decides they no longer needed the print job, thereby lowering costs.



Optimize the print environment with high SHURUP DOFH DOGHUMFLHOF |


The Intelligent Choice

Samsung ProXpress M4070 | 3870 | 3370 series MFPs provide high performance with print speeds of up to 42 ppm¹. The printers produce professional-quality printouts with more reliable paper handling, and support a range of media types, up to 58 lbs.

Along with the enhanced print and copy management, companies can achieve greater cost efficiency through robust Eco features for lower toner and paper costs based on higher cartridge yields.

ProXpress M4070 | 3870 | 3370 series MFPs provide versatility with 4-in-1 multifunctional capabilities, duplex printing, mobile and wireless⁴ printing, and added security at the enterprise-security level.

With convenient features such as the Easy Printer Manager, Easy Document Creator, and secure printing, ProXpress M4070 | 3870 | 3370 series MFPs help improve printing and document processing efficiency for all types of businesses.



Features	Benefits
600MHz processor and 256 MB memory	Boost print and scan productivity with high quality results.
ReCP Technology	Produce sharp and clean print and scan outputs.
Various Media Handling	Produce and handle more types of documents with support for heavy media.
One Touch Eco Button	Support cost and energy saving functions of 2-up/duplex printing, skipping blank pages, and toner saving mode.
Easy Eco Driver	Deliver cost savings by printing only what you need.
4-in-1	Enable users to print, copy, scan, fax and PC-fax with unparalleled convenience, ease, and speed.
Easy Printer Manager	Facilitate various printer management and monitoring.
Easy Document Creator	Compile and print complex documents with ease.
SyncThru™ Admin	Secure printing jobs at the enterprise-security level.
Samsung Mobile Print	Print, scan, and fax from mobile devices.

- 42 PPM on M4070FR, 40 PPM on M3870FW, 35 PPM on M3370FD
- 10,000 page yield toner cartridge is available on M4070 and M8870 series only 15,000 page yield toner cartridge is available on M4070ND model only.
- 3. 50-sheet multipurpose tray is available on M4070 and M8870 series only. 1-sheet bypass available on M8370 series.

 4. Wireless and W-Fi Direct available on M8870FWonly

Opy Speed Up to 60 x 600 dpi Pesolution Up to 600 x 600 dpi Up to	x1,200 dpi ls 6, PS3, IBM ProPrinter, EPSON (ESOP), PDF v1.7 nin letter 500 dpi Seconds Hatbed, Less than 13 Seconds ADF d, Book Copy, Erase Edge, Watermark Copy, Page lime & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 10 200 x 200 dpi agoes) ali SMB FTP; Speed Dat, Auto Redal, On Hock Dat, Last
Resolution	x1,200 dpi ls 6, PS3, IBM ProPrinter, EPSON (ESOP), PDF v1.7 nin letter 500 dpi Seconds Hatbed, Less than 13 Seconds ADF d, Book Copy, Erase Edge, Watermark Copy, Page lime & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 10 200 x 200 dpi agoes) ali SMB FTP; Speed Dat, Auto Redal, On Hock Dat, Last
HOT (From Ready) 4.65 seconds 4.4tomatic Brutation SPL, PCL5e/6, PS3, IBM ProPrinter, BPSON (ESOP), PDF v1.7 Copy Copy Speed Up to 35 cpm in letter Up to 600 x 600 dpi Up to 600	is 5, PS3, IBM ProPrinter, EPSON (ESOP), PDF v1.7 nin letter 600 dpi Scoonds Ratbed, Less than 13 Scoonds ADF Do, Book Copy, Brase Edge, Watermark Copy, Page inne & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoes) ail SMB FIP; Speed Dal, Auto Redal, On Hock Dal, Last
FPOT (From Ready) Copy	is 5, PS3, IBM ProPrinter, EPSON (ESOP), PDF v1.7 nin letter 600 dpi Scoonds Ratbed, Less than 13 Scoonds ADF Do, Book Copy, Brase Edge, Watermark Copy, Page inne & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoes) ail SMB FIP; Speed Dal, Auto Redal, On Hock Dal, Last
Duplex Automatic Finulation SPL, POLSe/6, PS3, IBM ProPrinter, BPSON (BSCP), PDFv1.7 SPL, PDFv1.	6, PS3, IBM ProPrinter, BPSON (ESCP), PDF v1.7 nin letter 500 dpi Seconds Halbed, Less than 13 Seconds ADF o, Book Copy, Brase Edge, Watermark Copy, Page time & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 10 200 x 200 dpi agues) all SNB FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
Emulation SPL, POLSe/6, PS3, IBM ProPrinter, EPSON (ESC/P), FDF v1.7 SPL, POLSe/6, PS3, IBM ProPrinter, EPSON (ESC/P), FDF v1.7 SPL, POLSe/6 Copy Copy Copy Speed Up to 35 cpm in letter Up to 42 cpm Resolution Up to 600 x 600 dpi Up to 600 x 600 dpi Less than 10 Seconds Ratbed, Less than 13 Seconds ADF Less than 10 Seconds ADF Less than 10 Seconds ADF Less than 10 Second	n in letter 300 dpi Seconds Ratbed, Less than 13 Seconds ADF 3. Book Copy, Erase Edge, Watermark Copy, Page 5. Book Samping, ID Samp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 10 200 x 200 dpi agues) ali SNB FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
Copy Copy Speed Copy S	n in letter 300 dpi Seconds Ratbed, Less than 13 Seconds ADF 3. Book Copy, Erase Edge, Watermark Copy, Page 5. Book Samping, ID Samp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 10 200 x 200 dpi agues) ali SNB FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
Copy Speed Up to 35 cpm in letter Up to 600 x 600 dpi Resolution Up to 600 x 600 dpi Less than 10 Seconds Ratbed, Less than 13 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds ADF Less tha	500 dpi Seconds Ratbed, Less than 13 Seconds ADF De Book Copy, Brase Edge, Watermark Copy, Page lime & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoes) ali (SMB/FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
Resolution First Copy Out Time Less than 10 Seconds Ratbed, Less than 13 Seconds ADF Less than 10 Seco	500 dpi Seconds Ratbed, Less than 13 Seconds ADF De Book Copy, Brase Edge, Watermark Copy, Page lime & Date Stamping, ID Stamp, Brase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoes) ali (SMB/FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
First Capy Out Time Less than 10 Seconds Ratbed, Less than 13 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed, Less than 12 Seconds ADF Less than 10 Seconds Ratbed Less than 12 Seconds ADF Less than 10 Seconds Ratbed L	Seconds Ratbed, Less than 13 Seconds ADF a, Book Copy, Erase Edge, Watermark Copy, Page lime & Date Stamping, ID Stamp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 1 to 200 x 200 dpi ages) ali SNB FTP, Speed Dtal, Auto Redal, On Hock Dtal, Last
Multi Opy Duplex Copy No No Duplex Copy No No Duplex Copy No Duplex Copy No	o, Book Copy, Erase Edge, Watermark Copy, Page lime & Date Samping, ID Samp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi aguse) ali SNB FTP, Speed Dtal, Auto Redal, On Hock Dtal, Last
Duplex Crpy No Duplex Crpy Duplex Du	ime & Date Samping, ID Stamp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoss) all SMD FTP; Speed Dal, Auto Redal, On Hock Dal, Last
Oxpy, Features ID Oxpy, N-Up. Book Cxpy, Ease Edge, Watermark Cxpy, Page Nurbering, Time & Date Samping, ID Samp, Brase Background ITUT C3, EDM ITUT	ime & Date Samping, ID Stamp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoss) all SMD FTP; Speed Dal, Auto Redal, On Hock Dal, Last
Numbering, Time & Date Stamping, ID Stamp, Brase Background Numbering, Time & Date Stamping, ID Stamping,	ime & Date Samping, ID Stamp, Erase Background M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agoss) all SMD FTP; Speed Dal, Auto Redal, On Hock Dal, Last
Compatability Communication System PSTIN / PMBX PSTIN / P	M 3 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 to 200 x 200 dpi agues) ali/SMB/FTP; Speed Dtal, Auto Redal, On Hock Dtal, Last
Communication System Modern Speed 33.6 ktops	3 x 98 dpj. Fine: 203 x 196 dpj. Superfine: 300 x 300 o to 200 x 200 dpj ages) all (SMB/FTP; Speed Dial, Auto Redal, On Hook Dial, Last
Modern Speed 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 49.5 Vts 59.5 Vts 59	3 x 98 dpj., Fine: 203 x 196 dpj., Superfine: 300 x 300 to 200 x 200 dpj aguss) all (SMB/FTP; Speed Dial, Auto Redal, On Hook Dial, Last
Modern Speed 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 33.6 Ktps 49.5 Vts 59.5 Vts 59	3 x 98 dpj., Fine: 203 x 196 dpj., Superfine: 300 x 300 to 200 x 200 dpj aguss) all (SMB/FTP; Speed Dial, Auto Redal, On Hook Dial, Last
Olor Fax Resolution Sandard: 203 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 dpi, Color: Up to 2000 x 200 dpi Fax Memory 6 MB (500 pages) Fax Features Pax Features Auto Pedial, Dalayed Fax, Fax Forward to Fax/PC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report Scan San Compatibility TWAIN, WA, ICDM, SANE (Linux) TWAIN, WA, ICDM, SANE (Linux) Yes Sandard: 203 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 dpi, Color: Up to 2000 x 200 dpi MB (500 pages) 6 MB (500 pages) 6 MB (500 pages) Fax to PO:Email/SMB/FTP, Speed Dial, Auto Redial, On Hook Dial, Last Number Redial, Dalayed Fax, Fax Forward to Fax/PC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report Scan TWAIN, WA, ICDM, SANE (Linux) TWAIN, WA, ICDM, SANE (Linux) TWAIN, WA, ICDM, SANE (Linux) Color CIS	o to 200 x 200 cpi ages) rail/SMB/FTP, Speed Dial, Auto Redial, On Hook Dial, Last
Resolution Sandard: 203 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 dpi, Culor: Up to 200 x 200 dpi Fax Memory 6 MB (500 pages) Fax Io PC Email/SMB*FTP; Speed Dtal, Auto Redal, On Hook Dtal, Last Number Redal, Dalayed Fax, Fax Forward to Fax/FC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report Scan TWAIN WA, ICDM, SANE (Linux) Scan Method Sandard: 203 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 dpi, Cylor: Up to 200 x 200 dpi 6 MB (500 pages) Fax to PC Email/SMB*FTP; Speed Dtal, Auto Redal, On Hook Dtal, Last Number Redal, Dalayed Fax, Fax Forward to Fax/FC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report TWAIN WA, ICDM, SANE (Linux) TWAIN WA, ICDM, SANE (Linux) Color CIS Color CIS	o to 200 x 200 cpi ages) rail/SMB/FTP, Speed Dial, Auto Redial, On Hook Dial, Last
Assultation dpi, Color: Up to 200 x 200 dpi dpi, Color: Up to 200 x 20	o to 200 x 200 cpi ages) rail/SMB/FTP, Speed Dial, Auto Redial, On Hook Dial, Last
Fax Features Fax Features Fax To PO'Email/SMB/FTP, Speed Dal, Auto Redal, On Hook Dal, Last Number Redal, Dalayed Fax, Fax Forward to Fax/FC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report Scan Scan Compatibility TWAIN WA, ICDM, SANE (Linux) TWAIN WA, ICDM, SANE (Linux) TWAIN WA, ICDM, SANE (Linux) Color OS TWAIN WA, ICDM, SANE (Linux) Color OS	rail/SMB/FTP, Speed Dial, Auto Redial, On Hook Dial, Last
Fax Features Number Redal, Delayed Fax, Fax Forward to Fax/PC, Junk Fax Barrier, Auto Reduction, Secure Receive, Confirmation Report Receive, Confirmation Receive, Confirmation Receive,	
Auto Reduction, Secure Receive, Confirmation Report Receive Receive, Confirmat	
Scan TWAIN WA, ICDM, SANE(Linux) TWAIN, WA, ICDM, SANE(Li	al, Delayed Fax, Fax Forward to Fax/PC, Junk Fax Barrier, on, Secure Receive, Confirmation Report
Scan Compatibility TWAIN, WA, ICDM, SANE (Linux) TWAIN, WA, IC	an como receivo, cominado respons
Scan Method Color CIS Color CIS Color CIS	ICDM, SANE (Linux)
	3.2(2.23)
Resolution '	·
Enhanced Up to 4800 x 4800 dpi Up to 4800 dpi Up to 4800 x 4800 dpi Up to 4800 dpi U	4800 dpi
Duplex Stan No Yes Yes	
Scan Depth Mono: 8 bit, Color: 48 bit Mono: 8 bit, Color: 48	
	BMB, FTP, PC, WSD
Paper Handling	
Input Capacity 250-sheet Cassette, 1-sheet Manual Bypass (771 sheets max) 250-sheet Cassette, 50-sheet Multipurpose Bypass Tray (820 sheets max) 250-sheet Ca	issette, 50-sheet Multipurpose Bypass Tray (820 sheets ma
Output Capacity 150 sheets face down 150 sheets face down 150 sheets face down 150 sheets face down	ace down
Media Size 3" x 5" ~ 8.5" x 14" 3" x 5" ~ 8.5" x 14" 3" x 5" ~ 8.5"	5" x 14"
Media Types Rain, Thick, Thin, Bond, Re-printed, Recycled, Envelope, Rain, Thick, Thin, Bond, Recycled, Rain, Thick, Thin, Bond, Rain, Rai	Thin, Bond, Pre-printed, Recycled, Envelope,
ila spara by, zaca, caustor, cutor, c	; Label, Cardstock, Cotton, Colored, Archive
Meda Weight 16-58 lb. 16-58 lb. 16-58 lb.	
ADF Capacity 50 Sheets 50 Sheets 50 Sheets	
ADFType ADF DADF DADF	
ADF Document Size 5.6" x 5.8" ~ 8.5" x 14" 5.6" x 5.8" ~ 8.5" x 14" 5.6" x 5.8" ~	8.5" x 14"
ADF Document Weights 16~28 lb. 16~28 lb. 16~28 lb. 16~28 lb.	
General	
Processor 600 MHz 600 MHz 600 MHz	
Memory 256 MB (Max 512 MB)	512 MB)
Hard Drive NA N/A 4 GB Flash D	isk Drive
	/64 bit) XP/2003/Vista/2008/7/2008 R2, Mac OS X
OS Compatibility 10.5~10.8, Various Linux, Various	Arious Linux, Various Unix, Citrix Presentation Server,
Windows Terminal Services Windows Terminal Services Windows Terminal Services	
Windows Terminal Services Windows Terminal S	32.0, Ethernet 10/100 Base TX, Direct USB
Windows Terminal Services Windows Terminal Services Windows Terminal Services Windows Terminal Services Interface H-Speed USB 2.0, Bhemet 10/100 Base TX Wireless 802.11b/g/n, W-Fibred, Direct, USB 2.0 H-Speed USB 2.0, Bhemet 10/100 Base TX Wireless 802.11b/g/n, W-Fibred, Direct, USB 2.0	10 : IED N : :: := : ::
Windows Terminal Services Windows Terminal Services Windows Terminal Services Windows Terminal Services Interface H-Speed LBB 2.0, Bhernet 10/100 Base TX Wireless 802.11b/g/n, Wi-Fi Direct, Direct LBB I bor Interface 4-line LCD, 111 Sattus LEDs, Numeric Keypad, Function Keys, 4-line LCD, 111 Sattus LEDs	1 Status LEDs, Numeric Keypad, Function Keys,
Windows Terminal Services Windows Terminal S	
Windows Terminal Services Windows Terminal Services Windows Terminal Services Interface H-Speed USB 2.0, Bhernet 10/100 Base TX H-Speed USB 2.0, Bhernet 10/100 Base TX Wireless 802.11b/g/n, W-H Direct, Direct USB 4-line LOD, 11 Satus LEDs, Numeric Keypad, Function Keys, Soft Power Monthly Duty Ocie 50,000 pages per month Windows Terminal Services Win	es per month
Windows Terminal Services H-Speed LSB 2.0, Bhremat 10/100 Base TX Wireless 802.11b/g/n, H-Speed LSB 2.0, Bhremat 10/100 Base TX Wireless 802.11b	es per month le Printing
Windows Terminal Services Windows Terminal Terminal Torminal Torm	es per month le Printing g, 10WReady, 1.1WPower Save, 2.0 kWh TEC
Windows Terminal Services Windows Terminal Terminal Vindows Terminal Term	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWhTEC ×19.0"
Windows Terminal Services Windows Terminal Termina	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWhTEC ×19.0"
Windows Terminal Services Wi	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWhTEC ×19.0"
Windows Terminal Services # Speed US2.0 Interminal Se	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWhTEC ×19.0"
Interface Windows Terminal Services Publications Ad-Inter LUB Interport Use 4-Interport Use 4-Interp	es per morth le Phinting g. 10WReady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0"
Interface H-Speed USB 2.0, Bhernet 10/100 Base TX Windows Terminal Services Wind	es per month le Printing g, 10WReady, 1.1WRower Save, 2.0 kWh TEC x 19.0" x 26.0"
Windows Ferminal Services W	es per month le Printing g. 10WReady, 1.1WRower Save, 2.0 kWh TEC x19.0" x26.0" egrated Cartridge System Toner 3,000 Page Nield
Windows Ferminal Services	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Tioner 3,000 Page Meld
Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TY H-Speed LBB 2.0, Bit	es per month le Pinting g, 10WPasady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Tioner 3.000 Page Yield 00 Page Yield (MLT-D203S) 00 Page Yield (MLT-D203S) 10 10.000 Page Yield (MLT-D203S)
Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX Windows Terminal Services H-Speed LBB 2.0, Bithermet 10/100 Base TX H-Speed LBB 2.0, Bithermet 10/100 Base TY H-Speed LBB 2.0, Bit	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Tioner 3,000 Page Meld
Microbus Terminal Services Windows Terminal Services	es per month le Pinting g, 10WPasady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Tioner 3.000 Page Yield 00 Page Yield (MLT-D203S) 00 Page Yield (MLT-D203S) 10 10.000 Page Yield (MLT-D203S)
Microbus Terminal Services Windows Terminal Services	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Toner 3.000 Page Meld (MLT-D203L) dd 10,000 Page Meld (MLT-D203L) dd 10,000 Page Meld (MLT-D203L) dd 10,000 Page Seld (MLT-D203L) dd 15,000 Page Seld (MLT-D203L)
Microbus Terminal Services Windows Terminal Services	es per month le Printing g, 10WPasady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Toner 3,000 Page Meld 100 Page Meld (MLT-D203S) 500 Page Meld (MLT-D203S) 61 10,000 Page Meld (MLT-D203S) 61 15,000 Page Meld (MLT-D203S)
Mindows Ferminal Services Interface Interface IH-Speed USB 2.0, Bhernet 10/100 Base TX IH-Speed USB 2.0, Bhernet 10/100	es per month le Printing g, 10WPeady, 1.1WPower Save, 2.0 kWh TEC x 19.0" x 26.0" egrated Cartridge System Toner 3.000 Page Meld (MLT-D203L) dd 10,000 Page Meld (MLT-D203L) dd 10,000 Page Meld (MLT-D203L) dd 10,000 Page Seld (MLT-D203L) dd 15,000 Page Seld (MLT-D203L)









